

Electrochemical Ammonia Sensor

NH3-MD-04



Design Features

- Measurement for High Concentration
- Excellent Selectivity (small sensitivity to H2S)
- Excellent Durability to NH3 Exposure
- Stability
- High Reliability
- Perfect Leak-proof Structure

Specifications

Sensitivity Characteristics

| Detection Gas | Ammonia |
|-----------------------------------|------------------|
| Detection Range | $0\sim$ 5000 ppm |
| Output Signal | 4 ± 2 nA/ppm |
| Repeatability | ± 10% |
| Resolution | 20ppm |
| Typical Baseline Range (pure air) | ± 10ppm |
| Typical Response Time (t90) | < 150seconds |
| Baseline Shift (-20 \sim 40°C) | < 40ppm |
| Long Term Output Drift | < 2% / month |
| Expected Life Time | > 2years |

Performance data conditions: 20 $^{\circ}\text{C}$, 50%RH and 1013mBar, using MGK SENSOR recommended circuitry.


Operating Conditions


| Operating Temperature | -30 ~ 50℃ |
|---------------------------|-------------------|
| Operating Humidity | $15\sim 90\%$ RH |
| Operating Pressure Range | Atmospheric ± 10% |
| Recommended Load Resistor | 33Ω |
| Bias Voltage | Not required |
| Position Sensitivity | None |
| Recommended Storage Temp. | 0 ~ 20℃ |
| Storage Life | 6months |
| | |


Physical Characteristics

| Cap Color | Purple |
|-----------|-----------------|
| Weight | 4.5 g (approx.) |

Appearance and Dimensions







All dimensions in mm
All tolerance +/-0.1 mm unless otherwise stated


NOTE: Do not solder to electrode pins. Use exclusive sockets.

Do not blow organic solvents, paints, chemical agents, oils or high concentration gases onto sensor.

Typical Cross Sensitivities

| Gas | Concentration (ppm) | Typical Nitrogen Dioxide Concentration (ppm) Equivalent |
|------------------|---------------------|--|
| Ammonia | 1000 | 1000 |
| Hydrogen Sulfide | 20 | 0 |
| Sulphur Dioxide | 20 | -12 |
| Carbon Dioxide | 5000 | 0 |
| Carbon Monoxide | 300 | 0 |
| Hydrogen | 1000 | 0 |
| Nitrogen Dioxide | 20 | 0 |
| Nitric Oxide | 30 | 0 |
| Ethanol | 100 | 0 |

Temperature Dependency



NOTE: NH3-MD-04 DN-2024 Aug. 2013

As the products may be use outside control of MGK SENSOR, the information provided is given without legal responsibility. Customer should test under their own conditions, to ensure that the sensors are suitable for their own requirements.

In accordance with the company's policy of continued product improvement, MGK SENSOR reserves the right to make product changes without notice.

